


ENTRANCE PLATFORM:

1. SLIDE ENTRANCE PLATFORM IS 165mm [6½"] THICK
2. INSTALL 150mm [6"] MIN. DEPTH OF CRUSHED GRAVEL (OR ¾" CLEAR GRAVEL) COMPACTED TO 98% SPDD.
3. POSITION PLATFORM SO THAT THE LONG SIDE OF THE PLATFORM WITH PRE-DRILLED HOLES IS FLUSH AGAINST THE TOP OF SLIDE AND COLLAR POSTS.
4. ENSURE THAT THE PLATFORM IS PERFECTLY LEVEL WITH THE TOP OF SLIDE, LEFT TO RIGHT AND FRONT TO BACK.
5. REMOVE TWO DECK BOARDS ON THE SIDE OF THE PLATFORM WITH PRE-DRILLED HOLES.
6. ATTACH THE PLATFORM WITH TWO SDWS STRUCTURAL SCREWS THROUGH PREDRILLED HOLES IN THE SIDE OF THE PLATFORM INTO EACH COLLAR POST.
7. RE-FASTEN LAST TWO DECK BOARDS ADJACENT TO THE SLIDE ENTRANCE.
8. INSTALL A BEAD OF CLEAR SILICONE BETWEEN THE EDGE OF THE SLIDE AND THE DECK BOARD.




DETAIL

4' EASY INSTALL HILL SLIDE

| PRODUCT NUMBER | PAGE | SCALE @ .05x1 | DRAWN | CHECKED | PHONE NUMBER |
|----------------|--------|---------------|-------|---------|----------------|
| NI-PG-1003-01 | 8 OF 9 | N.T.S. | SE | SE | 1-877-733-7459 |

COPYRIGHT © 2016 NATURE'S INSTRUMENTS. DO NOT SCALE DRAWINGS. NOT FOR COMMERCIAL USE OR REPRINT WITHOUT EXPRESSED WRITTEN PERMISSION FROM NATURE'S INSTRUMENTS.




- PLAN: SAFETY SURFACING -

SAFETY SURFACING:

1. 300mm [12"] OF ENGINEERED WOOD FIBRE (EWF) OR APPROVED ALTERNATE TO BE INSTALLED AT BASE OF SLIDE WITHIN LOG BORDER.
2. INSTALL EWF ACCORDING TO MANUFACTURER'S RECOMMENDATIONS.
3. EWF MAY REQUIRE A 300mm [12"] PERCOLATION BED FOR DRAINAGE.

LOG BORDER:

1. LOG BORDER COMES PRE-MITERED.
2. ALL MITERS ARE LABELED TO MATCH EACH OTHER
3. POSITION LOGS LABELED 'LS' & 'RS' SO THEY ARE PERPENDICULAR TO THE SLIDE.
4. PLACE LOGS BY MATCHING NUMBERS AND ALIGNING THE MITERED EDGES.
5. LOGS TO BE BURIED AT LEAST 1/3 THEIR HEIGHT.
6. FASTEN MITERS TOGETHER WITH SDWS SCREWS IN PRE-DRILLED AND COUNTERSUNK HOLES.
7. JOINTS BETWEEN LOGS SHALL NOT EXCEED 15mm [1/2"]
8. ENSURE THE LOGS MEET THE EDGES OF THE SLIDE AND TOP OF THE LOGS ARE LEVEL WITH THE RAILS OF THE SLIDE.




- SECTION: SAFETY SURFACING -



DETAIL

4' EASY INSTALL HILL SLIDE

| PRODUCT NUMBER | PAGE | SCALE @ .05x1 | DRAWN | CHECKED | PHONE NUMBER |
|----------------|--------|---------------|-------|---------|----------------|
| NI-PG-1003-01 | 9 OF 9 | N.T.S. | SE | SE | 1-877-733-7459 |



DETAIL
4' EASY INSTALL HILL SLIDE - LAYOUT

| PRODUCT NUMBER | PAGE | SCALE @ 81/4 | DRAWN | CHECKED | PHONE NUMBER |
|----------------|--------|--------------|-------|---------|----------------|
| NI-PG-1003-01 | 1 OF 1 | N.T.S. | SE | SE | 1-877-733-7459 |

COPYRIGHT © 2016 NATURE'S INSTRUMENTS. DO NOT SCALE DRAWINGS. NOT FOR COMMERCIAL USE OR REPRINT WITHOUT EXPRESSED WRITTEN PERMISSION FROM NATURE'S INSTRUMENTS.